	Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Nor	me: Andron Stainless Ltd.		
and the second se	NAMES OF TAXABLE PARTY AND ADDRESS OF TAXABLE PARTY.	Mississauga, ON, L5T 1X7	
Plant Locations: 61	70 Tomken Rd., Mississa	uga, ON, L5T 1X7	
A Pipe fittings, includin Flanges: all flanges C Valves: all line valve D Expansion joints, fle E Strainers, filters, sep F Measuring devices, i transmitters G Certified capacity-rat boilers, pressure ves	ig couplings, tees, elbows, Y s xible connections, and hose waters, and steam traps including pressure gauges, k led pressure relief devices ac usels, piping and fusible plug:	evel gauges, sight glasses, levels, or pressure coeptable as primary over pressure protection	200 C
N Nuclear components	Class 1 Class 2 C	lass 3 🗋 . (Meeting CNSC or ASME requirer	nents)
		ANDRON STAINLESS	
	the quality of the end prod		ation contained in this form is true to the be
Roman Dzisbak and responsibility for t ny knowledge repress atings, and identificat ittings is regulated by verified by TSSA	the quality of the end prod ents the product for which ion markings are in accor- a Quality Control Progra and knowing that it is of t	fuct do solemnly declare that the informa n registration is sought. The dimensions rdance with the herein named standards m which extends to each plant where fail	ation contained in this form is true to the be , materials of construction, pressure temper. . I further declare that the manufacture of brication occurs in whole or in part and has take this solemn declaration conscientious
Roman Dzisbak and responsibility for t ny knowledge repress atings, and identificat ittings is regulated by rerified by TSSA pelieving it to be true,	the quality of the end prod ents the product for which ion markings are in accor a Quality Control Progra and knowing that it is of t	fuct do solemnly declare that the informa n registration is sought. The dimensions rdance with the herein named standards m which extends to each plant where fall is being suitable for that purpose and I m	ation contained in this form is true to the be , materials of construction, pressure temper. . I further declare that the manufacture of brication occurs in whole or in part and has take this solemn declaration conscientious
Roman Dzisbak and responsibility for t ny knowledge repress atings, and identificat ittings is regulated by rerified by TSSA believing it to be true, Signature of Declarer: Declared before me a	the quality of the end prod ents the product for which ion markings are in accor a Quality Control Progra and knowing that it is of t	fuct do solemnly declare that the informa in registration is sought. The dimensions rdance with the herein named standards in which extends to each plant where fall is being suitable for that purpose and I in the same force and effect as if made und DN	ation contained in this form is true to the be , materials of construction, pressure temper. . I further declare that the manufacture of brication occurs in whole or in part and has take this solemn declaration conscientious
Roman Dzisbak and responsibility for t ny knowledge repress atings, and identificat ittings is regulated by rerified by TSSA believing it to be true, Signature of Declarer: Declared before me a	the quality of the end prod ents the product for which tion markings are in accor a Quality Control Program and knowing that it is of the the top to the top to the top to the top to the top to the top to the top to the top to the top to the top top top to the top	fuct do solemnly declare that the informa in registration is sought. The dimensions rdance with the herein named standards in which extends to each plant where fall is being suitable for that purpose and I in the same force and effect as if made und DN	ation contained in this form is true to the be materials of construction, pressure tempor. I further declare that the manufacture of brication occurs in whole or in part and has take this solemn declaration conscientious der oath.
Roman Dzisbak and responsibility for t my knowledge represe atings, and identificat ittings is regulated by verified by TSSA pelieving it to be true, Signature of Declarer Declared before me a This <u>12</u> day	the quality of the end prod ents the product for which tion markings are in accor a Quality Control Program and knowing that it is of the the top to the top to the top to the top to the top to the top to the top to the top to the top to the top top top to the top	tuct do solemnly declare that the information is sought. The dimensions in registration is sought. The dimensions indence with the herein named standards in which extends to each plant where fail is being suitable for that purpose and I m the same force and effect as if made under the same force and effect as if made under the right force with the following of the provide the right force with the following of the provide the right force with the same force with the provide the right force with the provide the right force with the provide the provide the right force with the provide the provide the right force with the provide the prov	this spece of the Official Seal
Roman Dzisbak and responsibility for t my knowledge represe atings, and identificat ittings is regulated by verified by TSSA pelieving it to be true, Signature of Declarer Declared before me a This <u>12</u> day	the quality of the end prod ents the product for which ion markings are in accor a Quality Control Progra and knowing that it is of t TOROUTO of May hs n) (Affix Official seal of the	tuct do solemnly declare that the information is sought. The dimensions in registration is sought. The dimensions indence with the herein named standards in which extends to each plant where falles being suitable for that purpose and I m the same force and effect as if made under the right Gerca Will Will Use DEPT This space for Regulator Authority ROIL	this space of the Official Seal New Nouveau Bruinswick Public SAFETY ER & PRESSURE VESSEL ACT
Roman Dzisbak ind responsibility for t ny knowledge represe atings, and identificat ittings is regulated by verified by <u>TSSA</u> velieving it to be true, Signature of Declarer: Declared before me a This <u>12</u> day Commissioner of Oatt Dr Notary Public: (sig	the quality of the end prod ents the product for which ion markings are in accor a Quality Control Progra and knowing that it is of t TORONTO of May (Affor Official seal of the This registration marking)	tuct do solemnly declare that the information is sought. The dimensions in registration is sought. The dimensions indence with the herein named standards in which extends to each plant where fail is being suitable for that purpose and I m the same force and effect as if made under the same force and effect as if made under the right force with the following of the provide the right force with the following of the provide the right force with the same force with the provide the right force with the provide the right force with the provide the provide the right force with the provide the provide the right force with the provide the prov	this space of the Official Seal New SNouveau Bruinswick Public SAFETY ER & PRESSURE VESSELACT
Roman Dzisbak ind responsibility for t ny knowledge represe atings, and identificat itings is regulated by rerified by TSSA believing it to be true, Signature of Declarer: Declared before me a This <u>12</u> day Commissioner of Oath Dr Notary Public: (sig CRN: 0A7213.5 Rev3	the quality of the end prod ents the product for which ion markings are in accor a Quality Control Progra and knowing that it is of t TORONTO of May (Affor Official seal of the This registration marking)	tuct do solemnly declare that the information is sought. The dimensions in registration is sought. The dimensions indence with the herein named standards in which extends to each plant where falles being suitable for that purpose and I m the same force and effect as if made under the right Gerca Will Will Use DEPT This space for Regulator Authority ROIL	this space of the Official Seal New Nouveau To JUSTICE PUBLIC SAFETY ER & PRESSURE VESSEL ACT e date of acceptance. REGISTRATION ONLY
Roman Dzisbak ind responsibility for t ny knowledge represe atings, and identificat itings is regulated by rerified by TSSA refleving it to be true, Signature of Declarer: Declared before me a This <u>12</u> day Commissioner of Oath Dr Notary Public: (sig CRN: 0A7213.5 Rev3 FIDE:	the quality of the end prod ents the product for which tion markings are in accor a Quality Control Progra and knowing that it is of t TORONTO (Affix Official seal of the (Affix Official seal of the This registration market)	Such the solemnly declare that the information is sought. The dimensions in registration is sought. The dimensions indence with the herein named standards in which extends to each plant where fails being suitable for that purpose and I mithe same force and effect as if made under th	this space of the Official Seal New Nouveau Brunswick Pressure to the bill this space of the Official Seal Brunswick OF JUSTICE PUBLIC SAFETY ER & PRESSURE VESSELACT e date of acceptance.
Reman Dzisbak and responsibility for t ny knowledge represe atings, and identificat ittings is regulated by rerified by TSSA velieving it to be true, Signature of Declarer: Declared before me a This <u>12</u> day Commissioner of Oatt Dr Notary Public: (sig CRN: 0A7213.5 Rev3 FIDE: <u>1783</u> Revision is a 10 year NOR ANDRONS	the quality of the end prod ents the product for which tion markings are in accor a Quality Control Progra and knowing that it is of t	tuct do solemnly declare that the information is sought. The dimensions in registration is sought. The dimensions indence with the herein named standards is being suitable for that purpose and I mithe same force and effect as if made under the same force and effect as if made under the right Gero II C Wise DEPT This space for Regulatory Authority POIL use the revalidated after ten (10) years from the CR tion summary. Sizes up to 12".	this space of the Official Seal New Nouveau this space of the Official Seal New Nouveau Comparison of the Official Seal Comparison of the Official Seal Compari
Reman Dzisbak and responsibility for t ny knowledge represe atings, and identificat ittings is regulated by rerified by TSSA velieving it to be true, Signature of Declarer: Declared before me a This <u>12</u> day Commissioner of Oatt Dr Notary Public: (sig CRN: 0A7213.5 Rev3 FID#: <u>1783</u> FID#: <u>1783</u> Newsion is a 10 year Notary SOR-ANDRONS 1. All Fittings shall be r	the quality of the end prod ents the product for which tion markings are in accor a Quality Control Progra and knowing that it is of t	tuck do solemnly declare that the information is sought. The dimensions in registration is sought. The dimensions indence with the herein named standards in which extends to each plant where fails being suitable for that purpose and I mithe same force and effect as if made under the	this space of the Official Seal Mew Shouveau To JUSTICE PUBLIC SAFETY ER & PRESSURE VESSELACT e date of acceptance. REGISTRATION ONLY NOA 7213.57 Rev 3 Man Anne
Reman Dzisbak and responsibility for t ny knowledge represe atings, and identificat ittings is regulated by verified by <u>TSSA</u> verified by <u>TSSA</u> verified by <u>TSSA</u> verified by <u>TSSA</u> verified by <u>TSSA</u> verified by <u>TSSA</u> verified by <u>TSSA</u> (a) Constant of Declarer: Declared before me a This <u>12</u> day Commissioner of Oatt Or Notary Public: (sig CRN: <u>0A7213.5 Rev3</u> FIDE: <u>1783</u> FIDE: <u>1783</u> SOR-ANDRONS 1. All Fittings shall be r 2. Each Category shall	the quality of the end prod ents the product for which tion markings are in accor a Quality Control Progra and knowing that it is of t	tuck do solemnly declare that the information is sought. The dimensions in registration is sought. The dimensions indence with the herein named standards in which extends to each plant where fails being suitable for that purpose and I mithe same force and effect as if made under the	this space of the Official Seal New Nouveau To JUSTICE PUBLIC SAFETY ER & PRESSURE VESSEL ACT e date of acceptance. REGISTRATION ONLY
Roman Dzisbak ind responsibility for t ny knowledge represe atings, and identificat ittings is regulated by verified by <u>TSSA</u> velieving it to be true, Signature of Declarer: Declared before me a This <u>12</u> day Commissioner of Oatt Or Notary Public: (sig CRN: <u>0A7213.5 Rev3</u> FID#: <u>1783</u> FID#: <u>1783</u> Revision is a 10 year <u>Nove SOR-ANDRONS</u> <u>1. All Fitings shall be r</u> <u>2. Each Category shall</u> and one copy of sup <u>3. The Declaration shall</u>	the quality of the end prod ents the product for which tion markings are in accor a Quality Control Program and knowing that it is of t	Sizes up to 12". number of the reveal deleter that the information is sought. The dimensions in the herein named standards in which extends to each plant where fails being suitable for that purpose and I made undeleter the same force and effect as if made and effect as if made undeleter the same force and effect as if made undeleter the same force and effect as if made and effect as if m	this space of the Official Seal Mew Shouveau To JUSTICE PUBLIC SAFETY ER & PRESSURE VESSELACT e date of acceptance. REGISTRATION ONLY NOA 7213. 57 Rev 3 Man Anne
Roman Dzisbak ind responsibility for t ny knowledge represe atings, and identificat ittings is regulated by verified by <u>TSSA</u> velieving it to be true, Signature of Declarer: Declared before me a This <u>12</u> day Commissioner of Oatt Or Notary Public: (sig CRN: <u>0A7213.5 Rev3</u> FIDE: <u>1783</u> FIDE: <u>1783</u> FIDE: <u>1783</u> I. All Fittings shall be r 2. Each Category shall and one copy of sup 3. The Declaration sha responsibility for the	the quality of the end prod ents the product for which ion markings are in accor a Quality Control Program and knowing that it is of t <i>10,20070</i> of <i>10,20070</i> (Affix Official seal of the This registration mul- tainless- Rev 0 (20 pages), egistered in the name of the Mar to supported with two Stubulory porting documentation.	Subscription Solemnly declare that the information is sought. The dimensions indence with the herein named standards m which extends to each plant where fail is being suitable for that purpose and I m the same force and effect as if made under the right Gerca (III) (Gerca (III)) (Gerca (IIII)) (Gerca (III)) (Gerca (III))	this spece of the Official Seal New SNouveau Tor JUSTICE PUBLIC SAFETY ER & PRESSURE VESSEL ACT e date of acceptance. REGISTRATION ONLY MATE 9/29/21 ATE 9/29/21
Reman Dziabak nd responsibility for t ty knowledge represe atings, and identificant ttings is regulated by erified by TSSA elieving it to be true, lignature of Declarer: Declared before me a his <u>2</u> day commissioner of Oatt Dr Notary Public: (sig CRN: <u>0A7213.5 Rev3</u> 1783 FID#: <u>1783</u> FID#: <u>1783</u> SOR-ANDRONS 1. All Fittings shall be r 2. Each Category shall and one copy of sup 3. The Declaration sha responsibility for the	the quality of the end prod ents the product for which tion markings are in accor a Quality Control Program and knowing that it is of t <u>1000000000000000000000000000000000000</u>	Subscription Solemnly declare that the information is sought. The dimensions indence with the herein named standards m which extends to each plant where fail is being suitable for that purpose and I m the same force and effect as if made under the right Gerca (III) (Gerca (III)) (Gerca (IIII)) (Gerca (III)) (Gerca (III))	this space of the Official Seal New SNouveau To JUSTICE PUBLIC SAFETY ER & PRESSURE VESSEL ACT e date of acceptance. REGISTRATION ONLY NOA 7213, 57 Rev 3 Man Anno CHIEF BOILER INSPECTOR
Roman Dziabak nd responsibility for t ty knowledge represe atings, and identificat ttings is regulated by erified by <u>TSSA</u> elieving it to be true, ignature of Declarer: beclared before me a his <u>2</u> day commissioner of Oatt or Notary Public: (sig CRN: <u>0A7213.5 Rev3</u> 1783 FID#: Revision is a 10 year Nove SOR-ANDRONS 1. All Fittings shall be r 2. Each Category shall and one copy of sup 3. The Declaration sha responsibility for the 4. Quality Control prog CRN expires Aug.271	the quality of the end prod ents the product for which tion markings are in accor a Quality Control Program and knowing that it is of t <u>1000000000000000000000000000000000000</u>	Sizes up to 12". null authority and hardson. CR Side of the solution of th	this space of the Official Seal Mew SNouveau this space of the Official Seal New SNouveau this space of the Official Seal Brunswick OF JUSTICE PUBLIC SAFETY ER & PRESSURE VESSEL ACT e date of acceptance. REGISTRATION ONLY NOA 7213, 57 R.ev 3 Millef BOILER INSPECTOR ATE 9729/21 Sect 1.0 - Fillings Rev:

www.Brunswick Junavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Nan	ne: Andron Stainless Ltd.		
Manufacturers Add	ress: 6170 Tomken Rd.,	Mississauga, ON, L5T 1X7	
	70 Tomken Rd., Mississa		
Category Pipe fittings, including Planges: all flanges Valves: all line valves D Expansion joints, flex E Strainers, filters, sepa F Measuring devices, in transmitters G Certified capacity-rate boilers, pressure vess	y of Fittings to be regist g couplings, tees, elbows, Y sible connections, and hose arators, and steam traps including pressure gauges, le ad pressure relief devices ac sels, piping and fusible plugs	tered. Circle one Category only s, plugs, unions, pipe caps, or reducers assemblies: all types evel gauges, sight glasses, levels, or pressure cceptable as primary over pressure protection of	Title of the Standard of Construction ANSI/ASME B16.5 Pipe Flanges and Flange Fittings for drilling and OD
N Nuclear components	Class 1 Class 2 C	lass 3 🛛 , (Meeting CNSC or ASME requireme	ents)
Show Manufacturer	s Name, Trademark, or	Dogo as it will appear on the product	Type of Construction Forged □ Welded Wrought □ Cast □ Other ■ □ □ Describe other: □ Machined from Plate □ □
		ntification of the actual items to be regis	stered:
Andron Stainles	s Catalogue - 16th	Edition	
Declaration: Roman Dziubak	(see note 3)	employed by Andron Stainless Ltd.	and being the person having full author
ny knowledge represe atinos, and identificati	he quality of the end proc ents the product for which on markings are in accor a Quality Control Progra	duct do solemnly declare that the informati n registration is sought. The dimensions, r rdance with the herein named standards. m which extends to each plant where fabr	ion contained in this form is true to the be materials of construction, pressure tempe I further declare that the manufacture of t rication occurs in whole or in part and has ake this solemn declaration conscientiousl

believing it to be true, and knowing that it is of the same force and effect a	as if made under oath.
Signature of Declarer:	and the second se
Declared before me at TURU.NTU UN	187 d. Net
This 12 day of May AD, 2021	Use this space for the Official Soal
Commissioner of Oaths	N. ST. S
Or Notary Public: (sign)	Brunswick
This space for Regulatory	Authority WEPT OF JUSTICE PUBLIC SAFETY) years from the date of PRESSURE VESSEL ACT
This registration must be revalidated after ten (1 0B7213.5 Rev2) years from the date of acceptance VESSELACT
CRN:	
FID#: 1783	REGISTRATION ONLY
Revision is CRN renewal. Plate & Weld Neck Flanges. Scope Notes of registration Summary, SOR-ANDRONStainless-Flange- Rev 0	CRNDB7213,57Rev2
All Filtings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms	ρ
and one copy of supporting documentation.	Com Cina
 The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 	CHIEF BOILES INSPECTOR
 Quality Control programs shall be resubmitted for validation. 	DATE $9/29/2$
CRN expires Aug.27th, 2031 - DG 11/2016	Sect T.0 - Fittings Rev.2
	BLRs PVs

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA YUKON PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS ADDRESS: 6	6170 Tomken Rd., Mississauga, ON, L5T	1X7	
PLANT LOCATIONS: As above			
A Pipe fittings, including coupling: B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible conne E Strainers, filters, separators, an F Measuring devices, including pr pressure transmitters G Certified capacity-rated pressure boilers, pressure vessels, pipin	ressure gauges, level gauges, sight gla re relief devices acceptable as primary (caps, or reducers sses, levels, or over pressure protection on	IITLE OF THE STANDARD OF CONSTR ASME B31.3 Process Piping
	□ Class 2 □ Class 3 □, (Meeting AB	•	
	TRADEMARK OR LOGO AS IT WIL		TYPE OF CONSTRUCTION
			FORGED D WELDED D WROUGHT CAST A OTHER D DESCRIBE OTHER:
	ENTATION AND IDENTIFICATION OF Hygienic High Pressure Clamp		
my knowledge represents the pr	(see note 3) employed by Andror ne end product do solemnly declare roduct for which registration is soug	that the information contained ht. The dimensions, materials	d in this form is true and to the t of construction, pressure
responsibility for the quality of th my knowledge represents the pr temperature ratings, and identific manufacture of these fittings is r or in part and has been verified t	e end product do solemnly declare roduct for which registration is soug cation markings are in accordance egulated by a Quality Control Progi by TSSA	that the information contained ht. The dimensions, materials with the herein named standar ram which extends to each pla as being suitable for that	d in this form is true and to the l s of construction, pressure rds. I further declare that the ant where fabrication occurs in v at purpose and I make this sole
responsibility for the quality of th my knowledge represents the pr temperature ratings, and identific manufacture of these fittings is ro or in part and has been verified t declaration conscientiously belie	e end product do solemnly declare oduct for which registration is soug cation markings are in accordance egulated by a Quality Control Prog	that the information contained ht. The dimensions, materials with the herein named standar ram which extends to each pla as being suitable for that	d in this form is true and to the l s of construction, pressure rds. I further declare that the ant where fabrication occurs in v at purpose and I make this sole
responsibility for the quality of the my knowledge represents the pri- temperature ratings, and identific manufacture of these fittings is re- or in part and has been verified to declaration conscientiously believed Signature of Declarer:	e end product do solemnly declare roduct for which registration is soug cation markings are in accordance egulated by a Quality Control Progi by TSSA	that the information contained ht. The dimensions, materials with the herein named standar ram which extends to each pla as being suitable for tha it is of the same force and eff	d in this form is true and to the l s of construction, pressure rds. I further declare that the ant where fabrication occurs in v at purpose and I make this sole ect as if made under oath.
responsibility for the quality of the my knowledge represents the pri temperature ratings, and identificient manufacture of these fittings is re- or in part and has been verified to declaration conscientiously belie Signature of Declarer:	te end product do solemnly declare roduct for which registration is soug cation markings are in accordance egulated by a Quality Control Progi by TSSA wing it to be true, and knowing that	that the information contained ht. The dimensions, materials with the herein named standar ram which extends to each pla as being suitable for tha it is of the same force and eff USETHIS	d in this form is true and to the t s of construction, pressure rds. I further declare that the ant where fabrication occurs in v at purpose and I make this soler ect as if made under oath.
responsibility for the quality of the my knowledge represents the pri temperature ratings, and identifice manufacture of these fittings is more or in part and has been verified to declaration conscientiously belie Signature of Declarer: fore me at Toro day of Febric Commissioner of teaths or Natar Public (sign) (Aft This reg	the end product do solemnly declare roduct for which registration is soug cation markings are in accordance egulated by a Quality Control Progress by TSA wing it to be true, and knowing that the product of the right of the result of the r	that the information contained ht. The dimensions, materials with the herein named standar ram which extends to each pla as being suitable for tha it is of the same force and eff USETHIS OFFI	d in this form is true and to the to of construction, pressure rds. I further declare that the ant where fabrication occurs in w at purpose and I make this soler ect as if made under oath. SPACE FOR TH CIAL SEAL
responsibility for the quality of the my knowledge represents the pri temperature ratings, and identifice manufacture of these fittings is ro or in part and has been verified to declaration conscientiously belie Signature of Declarer: fore me at Toro day of Febri Commissioner of baths or Natary Public: (sign) (Aftigue Construction) (Aftigue Construction) (Aftigue Construction)	the end product do solemnly declare roduct for which registration is soug cation markings are in accordance egulated by a Quality Control Progress by TSSA swigg it to be true, and knowing that the product of the right of the r	that the information contained ht. The dimensions, materials with the herein named standar ram which extends to each pla as being suitable for that it is of the same force and eff USETHIS USETHIS OFFI USETHIS OFFI DEPTOF PUBLIC & BONLER & PRESSURE V	d in this form is true and to the to of construction, pressure rds. I further declare that the ant where fabrication occurs in w at purpose and I make this soler ect as if made under oath. SPACE FOR TH CIAL SEAL
responsibility for the quality of the my knowledge represents the pri temperature ratings, and identifice manufacture of these fittings is ro or in part and has been verified to declaration conscientiously belie Signature of Declarer: fore me at	the name of the Manufacturer. ed with two Statutory Declaration by 155 the name of the Manufacturer. ed with two Statutory Declaration locumentation. by the person having full authority and end product. e resubmitted for validation	that the information contained ht. The dimensions, materials with the herein named standar ram which extends to each pla as being suitable for tha it is of the same force and eff USETHIS OFFI VISETHIS OFFI	d in this form is true and to the to of construction, pressure rds. I further declare that the ant where fabrication occurs in w at purpose and I make this soler ect as if made under oath. SPACE FOR TH CIAL SEAL

New Brunswick	Nove Scotia
Nunavut	Yukon

Prince Edward Island

Newfoundland and Labrador

Manufacturers Address: 6170 Tomken Rd. Mississauga, ON L5T 1X7	
Plant Locations: 6170 Tomken Rd. Mississauga ON L5T 1X7	and the second se
Cetecory of Fittings to be registered. Circle one Cetecory only Pipe fittings, including couplings, tess, elbows, Ya, plugs, unions, pipe cape, or reducers B Flanges: all flanges C Valves: all files valves	Time of the Blandard of Construction
D Expansion joints, floxible connections, and hose assemblies: all types E Strainers, filters, esparatore, and elearn impe F Messuring davices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmittans G Certified capacity-raied pressure relatif devices acceptable as primary over pressure protection on bollers, pressure vassels, piping and fuelble pixigs H Pressure retaining components that do not fail into one of the above categories	ASME B31.3
N Nuclear components: Cless 1 Class 2 Class 3 C, (Meeting CNSC or ASME requirements)	
Show Manufacturers Name, Trademark, or Logo as it will appear on the product	Forged Walded a Wrought of
Andron	Cast Other Describe other:
Stainless	machined
Scope of registration summary SOR-AN01-2020 Rev.1	

Signatura of Declarer:	
Declarad before me at Toronio This 2nd day of April AD 2020 Commissioner of Oaths	Use this spece the mide Seal Brunswick
Or Notary Public: (sign) (Affac Official seal to the right)	DEPT OF JUSTICE PUBLIC SAFETY BOILER & PRESSURE VESSEL ACT
This space for Regulatory Authors This registration must be revalidated after tan (10) if an <u>CRN: OAAAAAAF</u> , S FID#: <u>1783</u> Notae: 1. All Pithigs shall be registrated in the name of the Marufacturer. 2. Each Category shall be supported with two Stabitory Oucdaredon forms and one corry of Happarting documentation. 3. The Ouclaredfon shall be mode by the parenon having Ball authority and responsibility for the quality of the and product. 4. Quality Carterio programs shall be resubmitted for validation. AC13HH (1/2" to 8"), AY13IS (1/2" to 4") & AC13HP (1/2" to 8") 11/2016 clamp fittings: A351 CF8 CRN expires March 30, 2030 - DG	ONTRY USE. as from the data REGISTRATION ONLY CRN O A 22247-57 DATE ONLER INSPECTOR DATE S/15/20 BLRS COMPONENTS Bed 1.0 - Fittings Rav.2 FITTINGS AND LEAR COMPONENTS

EW BRUNSWICK UNAVUT		✓ PRINCE EDWARD ISLAND ✓ NORTHWEST TERRITORIES	✓ NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAM	ME: Steel & O'Brien Manufac	cturing	
MANUFACTURERS ADD	DRESS: 7196 Route 98, Arca	de, New York, 14009, USA	
LANT LOCATIONS: 71	96 Route 98, Arcade, New Yo	ork, 14009, USA	
CATEGORY O	F FITTINGS TO BE REGISTER	RED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTS
 Flanges: all flanges Valves: all line valves Expansion joints, flexil Strainers, filters, sepair Measuring devices, interpressure transmitters Certified capacity-rate boilers, pressure vess 	ble connections, and hose asse rators, and steam traps cluding pressure gauges, level c	gauges, sight glasses, levels, or table as primary over pressure protection on	ASME BPE
-	•	-	, I
		COLORE TO A PLANT AND	
HOM WANDLAC TOKET	Steel O'Bri Manufacti	OGO AS IT WILL APPEAR ON THE PROD	FORGED D WELDED & WROUGHT D CAST D OTHER DESCRIBE OTHER: machined
IST OF SUPPORTING	DOCUMENTATION AND IDEN	TIFICATION OF THE ACTUAL ITEMS TO B	E REGISTERED:
Valves per scope sumr	nary SR-CATC-BPE-REV0		
√alves per scope sumr	nary SR-CATC-BPE-REV0		
DECLARATION: Paul Davies sponsibility for the quarter of the second seco	(see note 3) employ ality of the end product do s nts the product for which reg to identification markings are ittings is regulated by a Qua to verified by NSF	olemnly declare that the information col gistration is sought. The dimensions, ma e in accordance with the herein named a lity Control Program which extends to ea	standards, I further declare that the ach plant where fabrication occurs in wh for that purpose and I make this solem!
ECLARATION: Paul Davies sponsibility for the quity knowledge represe imperature ratings, ar hanufacture of these fir in part and has beer eclaration consciention	(see note 3) emploinable vality of the end product do so not sthe product for which reg not identification markings en ittings is regulated by a Qua in verified by <u>NSF</u> busty believing it to be true, a full June	iolemniy declare that the information con gistration is sought. The dimensions, ma e in accordance with the herein named a lity Control Program which extends to en as being suitable and knowing that it is of the same force a	ntained in this form is true and to the be- aterials of construction, pressure standards. I further declare that the ach plant where fabrication occurs in wh for that purpose and I make this solemi and effect as if made under oath.
ECLARATION: Paul Davies sponsibility for the que where the second second second more than the second second second second second second second second second second second second second second second second second	(see note 3) employ nality of the end product do nts the product for which reg id identification markings and ittings is regulated by a Qua in verified by NSF busly believing it to be true, a pul Que NA Que NA Que NA Routo	iolemnly declare that the information con gistration is sought. The dimensions, mile in accordance with the herein named a lity Control Program which extends to en- as being suitable and knowing that it is of the same force a <u>18, F1rCade, OY</u> USET H	ntained in this form is true and to the be- aterials of construction, pressure standards. I further declare that the ach plant where fabrication occurs in wh for that purpose and I make this solemi and effect as if made under oath.
ECLARATION: Paul Davies sponsibility for the quity knowledge represe imperature ratings, ar anufacture of these fir in part and has beer eclaration consciention ignature of Declarer: reclared before me at his <u>1944</u> day commissioner of Oatt	(see note 3) emploinality of the end product do so the product for which regind identification markings and verified by NSF pushy believing it to be true, a full for the true of the true	iolemniy declare that the information con gistration is sought. The dimensions, mile in accordance with the herein named is lity Control Program which extends to en- as being suitable and knowing that it is of the same force is <u>18, Arcade, Cy</u> USETH <u>2015</u> 0 <u>WUKACC</u>	htained in this form is true and to the be aterials of construction, pressure standards. I further declare that the ach plant where fabrication occurs in wh for that purpose and I make this solemi and effect as if made under oath. HIS S. HARELLE MINKLEIN F. F. I NOR OTMICOG2139 HE F. F. I NOR OTMICOG2139 HE F. F. I NOR OTMICOG2139 HE F. F. I NOR OTMICOG2139 HE
ECLARATION: Paul Davies sponsibility for the quity knowledge represe imperature ratings, ar anufacture of these fir in part and has beer eclaration consciention ignature of Declarer: reclared before me at his <u>1944</u> day commissioner of Oatt	(see note 3) employ rality of the end product do not sthe product for which reg to identification markings and identification markings and the sequence of the second product of the second of the second second second to the second second second second to the second second second second second to the second second second second second second second to the second sec	iolemnly declare that the information con gistration is sought. The dimensions, mile in accordance with the herein named is lity Control Program which extends to en- as being suitable and knowing that it is of the same force is <u>18, Arcade, Cy</u> USETH <u>2015</u> 0 <u>www.Kacc</u> B	htained in this form is true and to the be aterials of construction, pressure standards. I further declare that the ach plant where fabrication occurs in wh for that purpose and I make this solemi and effect as if made under oath. HIS S. HANG OF MICOR 1991 HE F F I WAR PUBLIC State of New York AND OF MICOR 1991 HE
DECLARATION: Paul Davies pronsibility for the question of the series of	(see note 3) employed ality of the end product do s not sthe product for which reg not identification markings en ittings is regulated by a Qua not verified by NSF busly believing it to be true, a pusly believing it to be true, a p	iolemniy declare that the information con gistration is sought. The dimensions, mile in accordance with the herein named so lity Control Program which extends to en- as being suitable and knowing that it is of the same force a <u>as being suitable</u> and knowing that it is of the same force a <u>as being suitable</u> and knowing that it is of the same force a <u>as being suitable</u> and knowing that it is of the same force a <u>as being suitable</u> as being suitable and knowing that it is of the same force a <u>as being suitable</u> as being suitable and knowing that it is of the same force a <u>as being suitable</u> as being suitable and knowing that it is of the same force a <u>as being suitable</u> as being suitable and knowing that it is of the same force a <u>as being suitable</u> as being suitable and knowing that it is of the same force a <u>as being suitable</u> and knowing that it is of the same force a <u>as being suitable</u> and knowing that it is of the same force a <u>as being suitable</u> and knowing that it is of the same force a <u>as being suitable</u> and knowing that it is of the same force a <u>as being suitable</u> and knowing that it is of the same force a <u>as being suitable</u> and knowing that it is of the same force a <u>as being suitable</u> and knowing that it is of the same force a <u>as being suitable</u> and knowing that it is of the same force a <u>as being suitable</u> and knowing that it is of the same force a <u>as being suitable</u> and knowing that it is of the same force a <u>as being suitable</u> and knowing that it is of the same force a <u>as being suitable</u> and knowing that it is of the same force a <u>as being suitable</u> and knowing that it is of the same force a <u>as being suitable</u> and knowing that it is of the same force a <u>as being suitable</u> and knowing that it is of the same force a <u>as being suitable</u> and <u>as being suitab</u>	htained in this form is true and to the be aterials of construction, pressure standards. I further declare that the ach plant where fabrication occurs in wh for that purpose and I make this solem and effect as if made under oath. HIS S.P. And OTMICOGETED HE F.F.I. NOT OTMICOGETED HE F.F.I. NOT OTMICOGETED HE F.F.I. NOT OTMICOGETED HE DEPT OF PUBLIC SAFETY DEPT OF PUBLIC SAFETY SR & PRESSURE VESSEL ACT.
DECLARATION: Paul Davies esponsibility for the quity knowledge represe emperature ratings, ar nanufacture of these fir in part and has beer eclaration consciention signature of Declarer: beclared before me at this <u>1944</u> day commissioner of Oatt	(see note 3) employed ality of the end product do s not sthe product for which reg not identification markings en ittings is regulated by a Qua not verified by NSF busly believing it to be true, a pusly believing it to be true, a p	iolemniy declare that the information con gistration is sought. The dimensions, mile in accordance with the herein named is lity Control Program which extends to en- as being suitable and knowing that it is of the same force is <u>18, Arcade, Cy</u> USETH <u>2015</u> 0 <u>WUKACC</u>	htained in this form is true and to the be aterials of construction, pressure standards. I further declare that the ach plant where fabrication occurs in wh for that purpose and I make this solem and effect as if made under oath. HIS S.H. And Of MISOR 200 HE F.F.I. Not 20

FID#:	15203	
-------	-------	--

Ν	ote	S:		
	-		-	

All fittings shall be registered in the name of the Manufacturer.
 Each category shall be supported with two Statutory Declaration

forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.

4. Quality control programs shall be resubmitted for validation

at a maximum interval of five (5) years.

for CHIEF BOILER INSPECTOR 01 C DATE Ū

un!

M

CRH