| tew Brunswick Junavut | Nova Scotia Yukon | Prince Edward Island Northwest Territories | Newfoundland and Labrador |
|---|---|---|---|
| Manufacturers Na | me: Andron Stainless Lid | | |
| Manufacturers Ad | dress: 6170 Tomken Rd., | Mississauga, ON, L5T 1X7 | |
| Catego | | ered. Circle one Category only | Title of the Standard of |
| Flanges: all flanges C Valves: all line valve D Expansion joints, file E Strainem, filters, sep Measuring devices, transmitters G Cartified capacity-ra boilers, pressure ver | es exible connections, and hose parators, and steam traps including pressure gauges, to ted pressure relief devices ac ssels, piping and fusible plugs | evel gauges, sight glasses, levels, or pressure exceptable as primary over pressure protection on | MSS Standard Practise SP-43 (Sch. 5S) - Wrought S.S. Buttweld Fittings |
| _ | | to one of the above categories (888 3 🗋 , (Meeting CNSC or ASME requirement | (5) |
| | | Logo as it will appear on the product | Type of Construction |
| | (S) | ANDRON STAINLESS | Forged a Welded Wrought & Cast o Other a Describe other: |
| List of supporting | documentation and iden | lification of the actual items to be registe | ered; |
| ny knowledge representings, and identificat trings is regulated by enfied by TSSA | the quality of the end products the product for which ion markings are in accord a Quality Control Program es | employed by Andron Stainless Ltd. uct do solemnly declare that the information registration is sought. The dimensions, madance with the herein named standards. If in which extends to each plant where fabrics being suitable for that purpose and I make no same force and effect as if made under one | Merials of construction, pressure temperat, further declare that the manufacture of the alien occurs in whole or in part and has be |
| ignature of Declarer: | 16. Beg | | beth. |
| | 100/ | / | sath. |
| eclared before me at | TORUNTO | ON . | seth. |
| his 12 day | | ON | s space for the Official Seal |
| his 12 day | of May | ON | seth. |
| This 12 day commissioner of Ostr | of May | ON | seth. |
| his 12 day commissioner of Ostr | of May | Uso this Lear Organi Gorala IC Wise | seth. |
| his /2 day commissioner of Osti or Notery Public: (sign | (Affee Official seed to the | ON | seth. |
| his /2 day commissioner of Ostr or Notery Public: (sign | (Affee Official seed to the | Uso this Loc o right Geta la P. Wise This space for Regulatory Authority use | s space for the Official Seal |
| commissioner of Oath or Notery Public: (sign CRN: 0A7213.5 Rev3 | (Atta Official seed to the | Use this o 202/ Use this e right Gera (a C Wide This space for Regulatory Authority use at be revalidated after ten (10) years from the day | Newformuland Labrador |
| CRN: 0A7213.5 Rev3 1783 Revision is a 10 year Notes SOR-ANDRONS | (Affa Official seed of the This registration must renewal, Scope of registration in the fainless- Rev 0 (20 pages). | o right Geta (a C (L) the This space for Regulatory Authority use at be revalidated after ten (10) years from the day on summary Sizes up to 12" | Newformal Labrador |
| CRN: 0A7213.5 Rev3 1783 FID# 1783 Revision is a 10 year Notes SOR-ANDRONS' 1. All Fittings shall be in | renewal. Scope of registration in the name of the Mane | Use this o 202/ use this o night Gora (a C Wise This space for Regulatory Authority use at be revalidated after ten (10) years from the day on summary Sizes up to 12" ulacturer. | Newformuland Labrador |
| CRN: 0A7213.5 Rev3 CRN: 0A7213.5 Rev3 FID#. 1783 Revision is a 10 year Notes SOR-ANDRONS 1. All Fittings shall be in 2 Each Category shall and one copy of supplements. | renewal. Scope of registrating in the name of the Manube supported with two Sicilutory I parting documentation. | o night Goto la C Wise This space for Regulatory Authority use at be revalidated after ten (10) years from the day on summary Sizes up to 12" ufacturer. Declaration forms | Newformal Labrador Service NL Registered OR 72/3.50 Lav. 3 Date 21/10/04 |
| FID# Revision is a 10 year Notes SOR-ANDRONS All Fittings shall be in Each Category shall and one copy of supplements The Declaration shall | renewal. Scope of registration must be supported with two Scottory (| o night Goto la C Wise This space for Regulatory Authority use at be revalidated after ten (10) years from the day on summary Sizes up to 12" ufacturer. Declaration forms | Newformal Service NL Registered OR 7213.50 let 3 |

| tew Erunswick | Nova Scotia Yukon | Prince Edward Island Northwest Territories | Newfoundland and Labrador |
|---|--|--|---|
| Manufactures Alice | Total Call Land | *************************************** | |
| | me: Andron Stainless Ltd | Mississauca, ON, L5T 1X7 | |
| | 70 Tomken Rd., Mississa | | |
| Categor | y of Fittings to be regis ng couplings, tees, elbows, Y | Title of the Standard of Construction | |
| Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types | | | ANSI/ASME B16.5 Pipe Flanges and Flange |
| F Measuring devices, i transmitters | parators, and steam traps including pressure gauges, i | Fittings for drilling and OD | |
| bollers, pressure ves | isels, piping and fusible plug | cceptable as primary over pressure protection on is nto one of the above categories | |
| N Nuclear components | s. Class 1 Class 2 C | Class 3 🔲 , (Meeting CNSC or ASME requirement | s) |
| Sh <u>ow Man</u> ufacture | rs <u>Nama,</u> Tragamark, or | Logo as it will appear on the product | Type of Construction Forged & Welded Wrought p Cast & Other a Describe other |
| | | STAINLESS | Machined from Plate |
| - 100kg (151) | | ntification of the actual Items to be registe | |
| ny knowledge repres atings, and identifica ttings is regulated by acided by TSSA | the quality of the end pro- ents the product for which tion markings are in accor- y a Quality Control Progra | employed by Andron Stainless Ltd. Iduct do solemnly declare that the information in registration is sought. The dimensions, mordance with the herein named standards. It is am which extends to each plant where fabrical sole inglights and I make | alenais of construction, pressure tamper, further declare that the manufacture of th lation occurs in whole or in part and has t e this solemn declaration conscientiously |
| elieving it to be true, | and knowing that it is of | the same force and effect as if made under | oam. |
| lignature of Declarer | 1. Il | | |
| Declared before me a | 1 | | is space for the Official Seal |
| hisda | y of May | AD, 2021. Use th | is space to the Officer desir |
| Commissioner of Oat | ths Co. | 11 | |
| Or Notary Public: (sig | (Affix Official year to | Totald R. Wise | 1. 1) |
| | This society along | This space for Regulatory Authority use. | ate of acceptance. |
| CRN: 087213.5 Re | | INTER DE LOVERSON DE CONTRACTOR (107) ACTUAL VIOLENCE CONTRACTOR (107) | Newformidland Labrador |
| FID#: 1783 | | | Service NL |
| Notation is CRN replaced in Si | enewal. Plate & Weld Neck unwhary, SOR-ANDRONSI registered in the name of the M | (ainiess-Flande- Rev U | Registered 087213,50 Kg |
| 2. Each Calegory sha | il be supported with two Statuto pporting documentation. | | Engineering and Insurction Bridge |
| | all be made by the person having quality of the end product. | ng full authority and | Registered by |
| 776 | grams shall be resubmitted for v | ratidation. | PUBLIC SATTING FOR THE |
| CRN expires Aug. 11/2016 | 27th. 2031 - DG | | THE BOILER, PRESSIA VESSEL AND |

NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

| MANUFACTURERS NAME: Andron Stainless Ltd. | |
|---|---|
| MANUFACTURERS ADDRESS: 6170 Torri, en Rd., Mississauga, ON, L5T 1 | X7 |
| PLANT LOCATIONS: As above | |
| CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ON | E CATEGORY ONLY TITLE OF THE STANDARD OF CONSTRUCTO |
| A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe of B Planges: all flanges C Valves: all line valves D Expension joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam trape F Measuring devices, including pressure gauges, level gauges, sight glass pressure transmitters | ASME B31.3 Process Piping |
| G Certified capacity-rated pressure railef devices acceptable as primary over boilers, pressure vessels, piping and fusible plugs Pressure retaining components that do not fall into one of the above cele N Nuclear components: Class 1 | egories B or ASME requirements) |
| SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL | APPEAR ON THE PRODUCT FORGED D WELLE D WROUGHT D CAST D OTHER D DPSCAUBE OTHER: |
| LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE Online Catalog: AC13HP; Hyglenic High Pressure Clamp D | |
| Roman Dziubak sponsibility for the quality of the end product do solemnly declare they knowledge represents the product for which registration is sought imperature ratings, and identification markings are in accordance when the product for which registration is sought imperature ratings, and identification markings are in accordance when the part and has been verified by TSSA and knowing that it | hat the information contained in this form is true and to the best t. The dimensions, materials of construction, pressure ith the herein named standards. I further declare that the m which extends to each plant where fabrication occurs in who! as being suitable for that purpose and I make this solemn |
| gnature of Declarer: Toronte, Ontario February 2018 | USETHIS SPACE FOR THE |
| Official search the right) Cord of This registration must be revaileded after ter | itory Authority use |
| OH20091.5 | Newfoundland Labrador Service NL Registered OH 20091.50 |
| Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration orms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and eagonability for the quality of the and product. | Engineering and Inspection Services Registered by |
| Quality control programs shall be resubmitted for validation | UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND |

| New Brunswick Nunavut | √Nova Scotia ✓Yukon | Prince Edward Island Northwest Territories | Newfoundland and Lebrador |
|---|--|---|--|
| Manufacturers Na | me: Andron Stainless L | .td. | * 40 |
| Manufacturers Ad | | Rd., Mississauga, ON L5T 1X7 | |
| | 6170 Tomken Rd., Mississ | | |
| Pipe fittings, includi Flanges: all flanges Valves: all fline valv Expansion joints, fit Strainers, fitters, se Measuring devices, transmitters Certifled capacky-raboliters, pressure va | ng couplings, tees, elbows, tees elbows, tees established by the subjections, and hose paretors, and steam traps including pressure gauges, it de pressure relief devices as asets, piping and fusible pluges. | level gauges, sight glasses, levels, or press cceptable as primary over pressure protecti | ASME B31.3 |
| N Nuclear component | s: Class 1 🗆 Class 2 🗆 (| Class 3 [] , (Meeting CNSC or ASME requir | ements) |
| | | Logo as it will appear on the produ | |
| | | Andron Stainless | Forged Welded Wrought Describe other: machined |
| | | Jian 11 8 55 | |
| ny knowledge representings, and identificate tings is regulated by artified byTSSA_Co | ents the product for which tion markings are in eccor a Quality Control Progra at A QA417 and knowing that it is of the | n registration is sought. The dimension rdance with the herein named standard m which axiends to each plant where t | mation contained in this form is true to the best of is, materials of construction, pressure temperatures. I further declare that the manufacture of these fabrication occurs in whole or in part and has bee make this solemn declaration consciantiously inder oath. |
| eclared before me a | Toront o | | |
| his 2nd den | | D 2020 Us | e this space for the Official Seal |
| ommissioner of Oath | | | - 1111111111111111111111111111111111111 |
| r Notary Public: (sign | | | |
| 110taly Fublic. (agi | (Affix Official seal to the | ne right) | |
| | • | This space for Regulatory Authority use | |
| | | st be revalidated after ten (10) years from t | the date of acceptance |
| crn: <u>0AAAQ</u> | 14.5 | | Newforkidland Labrador |
| FID#: 1783 | 2 | | Service NL |
| 7 | | | Registered DA 22297 50 |
| lotas: | relationed in the same of the the | al fineth state | Date |
| | egistered in the mame of the Men be supported with two Statutory | | Engineering and Impection Services |
| and one copy of supp | norting documentation. | | Resterne to |
| | l be made by the person having to partie. | full authority and | UNDER THE AUTHORITY OF THE |
| . Quality Control progra | AY13IS (1/2" to 4") & AC | | PUBLIC FTY COMPRESSED AS REQUIRED TO SERVICE OF THE PUBLICATION OF THE |
| | rch 30, 2030 - DG | | |